Publishing with Amusewiki Oslo, Nordic Perl Workshop 2018

Marco Pessotto (melmothX)

September 6, 2018

◆□▶ ◆□▶ ◆ □▶ ★ □▶ = □ ● ○ ○ ○

About me: Marco Pessotto

PAUSE id MELMOTHX

IRC melmothX on Libera Chat and irc.perl.org

E-mail melmothx@gmail.com

Homepage https://amusewiki.org

IRC channel irc://irc.libera.chat/#amusewiki

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ● ● ●

GitHub https://github.com/melmothx

Background Humanities (history and translations)

Main features

Flat file storage, under Git

Each text is stored in a single, self-contained, text file

Rich range of output formats (PDF, Epub, HTML)

Don't lock the users in: high decoupling (single text / archive / application)

A comprehensive test suite

Packaged for Debian: http://packages.amusewiki.org

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ● ● ●

Sample page

- Musel/iki	٩
Title: The Text::Amuse markup manual Subtitle: The writer's guide Authors: John Wiegley. Marco Pessotto, Michael Olson Date: 2018 Publication date: Jan 28, 2018 Topics: Documentation, How-To Image: Comparison of the system of the	>

The Text::Amuse markup manual

The writer's guide



▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のQ@

Sample imposed PDF (more schemas available)

Normal text.

- · Level 1, bullet item one
 - 1. Level 2, enum item one
 - 2. Level 2, enum item two
- · Level 1, bullet item two
 - 1. Level 2, enum item one
 - 2. Level 2, enum item two
 - i. Level 3, enum item i
 - ii. Level 3, enum item ii
 - 3. Level 2, enum item three
- · Back to Level 1, third bullet
 - a. Level 2, enum item "a"
 - b. Level 2, enum item "b"
 - I. Level 3, enum item "I" One term description Another term description
- · Back to the bullets

Breaking list items

If you want to break up a line within any list type, just put one blank line between the end of the previous line and the beginning of the next line, using the same amount of initial indentation.

Keep in mind that if you put random indentation you'll get random and probably unexpected results (but it should not crash — if it does, please contact me).

Also, you can be lazy with numbered list. The parser actually doesn't care if you number them properly, or just do something like that.

1. first

Named anchors

If you start a line (regardless of the indentation) with a word prefixed by an hash, e.g. #anchor – where anchor can be any (ASCII) word that starts with a letter and contains only ASCII letters, digits and dashes – it defines an anchor at that point into the document. This point can be referenced using "#anchor" as the target in a Muse link.

If you need to start a line with an hash, wrap it in <verbatim> E.g.

<verbatim>#hashtag</verbatim> verbatim.
=#hashtag= verbatim as code.

Yielding: #hashtag verbatim. #hashtag verbatim as code. The support for this feature was introduced in Text::Amuse version 0.70 and improved in 0.82. Compatibility with Emacs Muse was restored in version 1.01, released on April 23, 2018, allowing text material on the same line of the anchor. Example:

.....

#title My text

#badanchor This is not an anchor, it's part of the header with a dummy name.

#begin This will work.

#an-anchor At the beginning of the line.

<verbatim>#hashtag</verbatim> verbatim.

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● ○ ○ ○ ○

Sample EPUB (on Firefox, Epubreader plugin)

Directives at the beginning of a document Correcting the hyphenation in the PDF output Bold, italicized and monospace text, non breaking space Non-breaking space. Footnotes Secondary footnotes (support added in Text::Amuse 0.91, 2017-12-10) Poetic stanzas Lists Breaking lists Nested lists Breaking list items Complete example Generation of data tables Floating tables Hyperlinks with or without description (and images) Images Floating images and adjusting width Examples Inserting a horizontal line Named anchors Lines to omit from published output Plays and bibliographies Preventing the markup to be interpreted (verbatim) Differences between Text::Amuse and Emacs

List continuation

If you need to start a list from an index different than 1, starting with Text::Amuse 0.90 (released on August 30, 2017), you can do so simply using it in the list. Indexes provided are so respected, unless they are the number 1. So the rule is: if you need automatic numbering, just use 1. or a. or A. or i. or I., otherwise use your custom numbering. Any other solution will be confusing and you can expect undefined behaviour.

b. This list with start with b d. This will be "d" as well 3. This starts at 3 2. This is 2 as well. iv. Roman iv. i. Roman v. as i. acts as automatic numbering a. This will be e. because it's index 1 and continues the list (interrupted at d.) a. This will be f. because it's incrementing the previous item. 1. Normal numeric 1. Normal numeric 2. 1. Normal numeric 3. V. Roman V. X Roman X And results inb. This list with start with b d This will be "d" as well 3. This starts at 3 2 This is 2 as well iv. Roman iv. КХ - H ≓t Aĭ tA

Sample Slides

Amusewiki can be used to produce slides as well You are looking at them :-)

◆□▶ ◆□▶ ◆ □▶ ★ □▶ = □ ● ○ ○ ○

Upload a text (with an HTML importer)

A·Muse·Wiki Sandbox	♥… ଡ ≛ 🖉 □ ଲ ∞ +	Search	Q
Language English			Ŧ
Main text Please note that you may want to past is supposed to preserve the markup. This is a WVSIWVG editor. If you prefer the next step. Image uploading may be done on the Keep in mind that unusually complex	Paste from Word Because of your browser security settings, the editor is no able to access your clipboard data directly. You are requir to paste it again in this window. Please paste inside the following box using the keyboard (Ctrl/Cmd+V) and hit OK OK Cance	ed ages only on the next step.	

Or provide an HTML file to upload

If you have a file in .doc or .odt, you can easily convert it saving it as HTML

Browse... No file selected.

Editing



◆□▶ ◆□▶ ◆三▶ ◆三▶ 三三 のへぐ

Ready to publish?

A·Muse·W	iki Sandbox	•	· Q	•	ھ 🛛	×	+	Search	۹
Changes	s saved, thanks! They are	now waiting to be publ	ished						

Pending revisions

Revision	Attachments	Action	n	Changes	Message	Date
New <mark>/library</mark> /test-en	t-e-test- en-1.jpg t-e-test- en-2.jpg	Publish	Û	Show differences in other tab	* 2018-08-27T13:01:06 test marco	27-08-2018 13:01:06 UTC
<u>/library</u> /prova-en		Publish	Û	<u>Show differences in</u> other tab	* 2018-05-12T13:37:49 x marco	12-05-2018 13:37:49 UTC

Please keep in mind that if you see "Force publishing" as action, it means that the revision has been superseded by another one, so publishing this one, you'll end up reverting a previous one. Try to avoid this, unless you know what you're doing.

"Stale editing" means that the revision was abandoned while editing, but it's still there, in case someone wants to pick it up when editing a text.

Deleting a revision is safe if a text has been published. Otherwise deleting it you'll lose the unpublished changes

Checking

A-Muse-Wiki Sandbox	🎔 Archive - 🗝 More - Q - 🛓 - 🔗 Bookbuilder 🗆 🔊 🔀 🕂 Search	۹
Changes for test-en (revision #688) This text is new •		
Nob Carlinge and server and carline Cardeo Georgian in gran in Private de Save Hitle fort Hang en Rpubliste 2019 08-27112:55:10	focure to test-on-1.jpg Hitle test Hang en Ppuddeta 2016-06:27112:55:10 This is a test, with some "emphasis" [[t-e-test-en-2.jpg:f]]	
Recover Las Inclusion . Lipp ¶ Will to the M Kang or M K	Recluck	

◆□ > ◆□ > ◆ Ξ > ◆ Ξ > → Ξ → の < @

Publish (tailing a background daemon)

	Status: completed		
	Changes applied		
Job publish started at Mon Aug 27 :	15:03:11 2018		
Inserting data for attachment ./rep	po/sandbox/t/te/t-e-test-en-2.jpg an	d generating thumbnails	
Inserting data for attachment ./rep	po/sandbox/t/te/t-e-test-en-1.jpg an	d generating thumbnails	
Working on test-en.muse file in ./r	repo/sandbox/t/te		
* Created test-en.bare.html			
* Created test-en.html			
* Created test-en.epub			
* Created test-en.tex			
* Created test-en.zip			
Inserting data for ./repo/sandbox/t	t/te/test-en.muse		
Changing test-en status from editin	ng to published		
Updating test-en in Xapian db			
Scheduled generation of /library/te	est-en.a4.pdf (A4 imposed PDF) as ta	sk number #149952	
Scheduled generation of /library/te	est-en.lt.pdf (Letter imposed PDF) a	s task number #149953	
Scheduled generation of /library/te	est-en.pdf (plain PDF) as task numbe	r #149954	
Updating title and category sorting	g		
Updated 14 records in 0 seconds			
Scheduled static indexes generation	n		
Job publish finished at Mon Aug 27	15:03:12 2018		

Changes applied

Static page without javascript



A·Muse·Wiki Sandbox

♥… ଡ ≛ 🛯 🗆 ≫ ≍ +

Search

Q

A·Muse·Wiki Sandbox

This is a sandbox and is meant to show the feature of this wiki engine.

You are free to try to edit, upload and publish texts. >>

Latest entries



▲□▶ ▲圖▶ ▲臣▶ ▲臣▶ ―臣 – のへ⊙

Source sample

Borrowed from Emacs Muse https://www.gnu.org/software/emacs-muse/index.html Supported (read/write) by Pandoc https://pandoc.org/

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ● ● ●

#title My title
#author John Doe
#lang en

** Chapter one

And **here** the *text* starts

1. Foo

2. Bar

Modules and offline tools

Text::Amuse The parser

Text::Amuse::Preprocessor Typographical filters (muse-preprocessor.pl) and HTML importer (html-to-muse.pl)

Text::Amuse::Compiler The compiler (muse-compile.pl)
PDF::Imposition The PDF imposer (pdf-imposer.pl)
PDF::Cropmarks Add cropmarks to the PDF
 (pdf-cropmarks.pl)

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ● ● ●

Web Frontend

Framework Catalyst

Layout Bootstrap

Multisite on one instance you can run as many sites you want

Database DBIx::Class (SQLite, MySQL, PostgreSQL) and DBIx::Class::DeploymentHandler for automatic upgrades

Templating Template Toolkit

Localization Danish, German, English, Spanish, Finnish, French, Serbo-Croatian, Italian, Macedonian, Dutch, Russian, Albanian, Swedish

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ● ● ●

Powerful and fast faceted search, powered by Xapian

Full text search E.g. some word AND title:"My Title" AND author:Author OR year:2017

You can use the following prefixes to search a word in a specific field, e.g. "title:example": author:, title:, topic:, source:, notes:, year:

Sorting:

By relevance

Reset filters

Topics

Documentation (18)	
How-To (17)	
Releases (9)	

Authors

Marco Pessotto (11)
John Wiegley (1)
Michael Olson (1)

Document type

article (28)

book (9)

Number of pages

1-5 (15)

Commenting system

How to permit comments on Amusewiki

Dec 27, 2017

•

Read the whole text...

Marco Pessotto Creating slides

Amusewiki can be used as a system to create slides

Jul 18, 2016	Read the whole text
$\label{eq:amusewiki:ayear of development} \textbf{M} arco \ \texttt{Pessotto} \ (\texttt{melmothX})$	Aug 11, 2016
AmuseWiki: a library oriented wiki engine (talk) — Marco Pessotto (melmoti	nX) Apr 8, 2015

Custom fonts

Fine tuning for fonts in the downloadable files

Static but functional mirror

wget -q -0 - https://amusewiki.org/mirror.txt | \
 wget -x -N -q -i -

MuseMki	Titles Authors Topics
	Titles (37)
	Sorting: $\left I_{2}^{*} \right \left I_{1}^{*} \right $ Publication date \star Publication date
Version 2.2 [en] Topics: Releases	□ □ ● □ ● □ ● □ ● □ ● □ ● □ ● □ ● □ ● □ ● ● □ ● ● □ ● </th
Mirroring a site running AmuseWiki [en] Topics: How-To	D D
Migrations [en] Topics: How-To	E □ □ Ø □ ₽ ∅ ■ 8 B 2 2 p. C
Version 2.1 [en] Topics: Releases	E □ □ Ø □ ♣ Ø E B B B B B B B B B
The Text::Amuse markup manual (en) Authors: John Wiegley Marco Pessotto Michael Olson Topics: Documentation How-To	D □ ○ □ → ∅ ■ b
Offline tools [en] Topics: Documentation How-To	
Commenting system [en] Topics: How-To	E □ □ Ø □ ➡ Ø ■ ■ Dec 27,2017 D 1 pp.
Site customization [en] Topics: Documentation How-To	□ □

Bookbuilder

MuseMiki	♥ ••• ♣ 🖉 (1) 🗆 🔊 ≍ + Search	٩
Add a cover image (PNG or JPG)		
Browse No file set	ected.	
Please select the desired fonts	Keep in mind that some character may be missing in the required font. character will be reported.	vlissing
Please choose the main font	Coelacanth	-
Please choose the sans font	Iwona	•
Please choose the mono font	Anonymous Pro	
Please choose the font size	10 pt	-
Choose a paper format (if you want to use a	A5	•
custom size, you need to set both width and height)	Width: Standard V Height: Standard V	
Division factor (Higher division factor means narrower margins):	13	•

■ のへで

Imposer



1x8x2: Fixed 16 pages signatures on a single sheet, with triple folding. See here for more details.

Ξ	12	⁶	8	Z	<u>01</u> ,	11	9
<u>4</u>	<u>13</u>	<u>16</u>	1	2	<u>15</u>	<u>14</u>	<u>3</u>

EA-4x4: Fixed 16 pages signatures on 2 sheets, with double individual folding. See here for more details.

13	4	3	14	6	8	Z	10
<u>16</u>	1	2	<u>15</u>	<u>12</u>	<u>5</u>	<u>6</u>	<u>11</u>

1x1: One page per sheet. This is useful only if you want to add the cropmarks

Add crop marks to the PDF

Please select the size of each page including the

A4



۰

Fine tuning for formats

A Muselliki ♥ Archive - … More - ▲ - 🖉 Bookbuilder (1) Edit site configuration / Custom formats for amusewiki.org / plain PDF Edit format plain PDF Name plain PDF Description Standard format. Changes to these fields will be ignored: format:pdf imposed:0 twoside:0 PDF Slides EPUB Please select the desired fonts Keep in mind that some character may be missing in the required font. Missing character will be Please choose the main font TeX Gyre Pagella Please choose the sans font CMU Sans Serif Please choose the mono font CMU Typewriter Text Please choose the font size Choose a paper format (if you want Generic (fits in A4 and Letter) to use a custom size, you need to set both width and height) Standard V Height: Standard V Width: Division factor (Higher division factor 13 means narrower margins):

▲ロ ▶ ▲周 ▶ ▲ 国 ▶ ▲ 国 ▶ ● ○ ○ ○ ○

Instead of running the app from the git tree on a dedicated home, with a local::lib tree or with a perl installed in the home, now you can visit http://packages.amusewiki.org/ and follow the instructions there (import the key, add the repository, and install the package).

Minimum requirement: Debian Jessie and Ubuntu 16.04 LTS. https://github.com/melmothx/amusewiki-debian-packages

More burden on the developer

Trivial changes require a package rebuild

Needs to ship about 25 new packages (fonts and perl modules) Can't use fresh code from the module used without being too invasive.

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ ● ● ●

Debian people usually don't like private repositories

Debian packages pros

Installation is straightforward

Maintenance for the administrator is integrated in the regular apt-get routine

Much smaller installation footprint (mostly because the texlive installation is optimized and shared)

Improved security

code is installed and owned by root, not by the user running the application

debian is taking care of the security updates of the dependencies (not only the perl dependencies, but also the libraries used by LaTeX, cgit and other utilities)

0 downtime upgrades out of the box

Predictability of locations and module versions (so gets more live testing)

Questions?

Thanks!

